


# GLAZING DEDUCTIONS FOR PVCu HYBRID & ALUMINIUM ROOF VENTS OF ALL GLAZING THICKNESS



**TO ESTABLISH THE LENGTH "C"  
DEDUCT "A" (VENT LENGTH)  
FROM "B" (TOTAL PANEL LENGTH)  
THEN DEDUCT A FURTHER 33mm**


*(SHEET END CLOSER DEDUCTION NOT INCLUDED)*

**USING THIS CALCULATION YOU WILL  
ACHIEVE A GLAZING TOLERANCE OF  
5mm BETWEEN "A" & "C"**

**TO ESTABLISH THE LENGTH OF "C"  
DEDUCT "D" (PANEL ABOVE VENT)  
AND "A" (VENT LENGTH)  
FROM "B" (TOTAL PANEL LENGTH)  
THEN DEDUCT A FURTHER 13mm**

*(SHEET END CLOSER DEDUCTION NOT INCLUDED)*

**USING THIS CALCULATION YOU WILL ACHIEVE  
A GLAZING TOLERANCE OF 5mm BETWEEN "D" & "A"  
AND ALSO 5mm BETWEEN "A" & "C".**



**TO CALCULATE THE SIZE OF THE GLAZING TO FIT THE "LID" OF THE VENT**

**USE THE OVERALL VENT SIZE FROM YOUR ORDER FORM AND DEDUCT 130mm  
FROM THE WIDTH AND 130mm FROM THE LENGTH, THIS NOW GIVES THE LID  
GLAZING DIMENSION**

## GLAZING INNOVATIONS (SOUTH WEST) LTD

THE OLD TANNERY, HANNAFORD LANE. SWIMBRIDGE. BARNSTAPLE. NORTH  
DEVON. EX32 0PL

PHONE.....01271-830233.....FAX.....01271-830655

[www.4roofvents.com](http://www.4roofvents.com)